



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Number and causes of deaths.

Entero-colitis	2
Tuberculosis	13
Tetanus, infantile	3
Pneumonia	1
Bronchitis	1
Enteritis	6
Gastro-enteritis	3
Meningitis	1
Athrepsia	1
Nephritis	3
Diphtheria	1
Gastritis	2
Other causes	27
Total	64

TURKEY.

*Cholera in Turkey.**Weekly sanitary bulletin, October 1 to 8, 1904.*

	Cases.	Deaths.		Cases.	Deaths.
Bagdad	21	24	Kazemein		4
Mendeli	20	26	Khanakin	2	
Amara	12	6	Dindieh (Kerbela)	2	1

Weekly sanitary bulletin, October 8 to 15, 1904.

	Cases.	Deaths.		Cases.	Deaths.
Bagdad	5	8	Khanakin	1	1
Mendeli	9	7			

VENEZUELA.

Yellow fever continues in La Guaira.

Passed Assistant Surgeon Frick reports, November 12, 1904, that yellow fever is still present in La Guaira.

WEST INDIES.

Report from Barbados—Vessels inspected.

Assistant Surgeon Ward reports, November 15, as follows:

I have the honor to report that during the week ended November 12, 1904, bills of health were issued to 3 steamships and 5 sailing vessels with 181 crew, 33 steerage, and 26 cabin passengers. Of this number I inspected 2 steamships, 3 sailing vessels, 132 crew, 33 steerage, and 19 cabin passengers, of whom 3 crew, 6 steerage, and 5 cabin passengers were taken on at this port. There were 2 steerage in transit for Grenada, West Indies.

On November 7 I viséed the bill of health of the *Republic of Panama*, issued on that date, to the Royal Mail steamship *La Plata*, from Southampton, bound to Colon via other ports in the Caribbean Sea, with 171 crew, including 24 laborers taken on at this port, and 189 passengers. A certificate of vaccination was issued to a deck passenger for Colon. There were two cases of tuberculosis of the lungs aboard the steamship *La Plata* on her voyage from England to Barbados.

The health of the island is good; no quarantinable diseases have been reported.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

AFRICA—*Sierra Leone*.—Two weeks ended October 21, 1904. Estimated population, 40,000. Total number of deaths, 33. No deaths from contagious diseases reported. Malarial fever prevalent.

AUSTRALIA—*New South Wales—Newcastle—Month of September, 1904*.—Estimated population, 50,100. Total number of deaths, 50; including diphtheria 1, whooping cough 1, and 5 from tuberculosis.

New South Wales.—Sydney, month of September, 1904. Estimated population, 511,030. Total number of deaths, 409; including diphtheria 3, measles 1, plague 1, scarlet fever 1, and 42 from phthisis pulmonalis. Three months ended September 30, 1904. Total number of deaths 1,373; including 83 from contagious diseases.

BAHAMAS—*Dunmore Town*.—Two weeks ended November 11, 1904. Population, 1,232. No deaths reported.

Green Turtle Cay Abaco.—Two weeks ended November 1, 1904. Population, 3,314. No deaths reported.

Nassau.—Two weeks ended November 12, 1904. Population, 12,650. No deaths reported.

BRAZIL—*Pernambuco*.—Two weeks ended October 15, 1904. Estimated population, 200,000. Total number of deaths, 302, including enteric fever 3, smallpox 45, and 36 from tuberculosis.

CANADA—*British Columbia—Victoria*.—Month of October, 1904. Estimated population, 21,000. Total number of deaths, 26, including diphtheria 1, and 4 from tuberculosis.

FRANCE—*Marseille*.—Month of October, 1904. Estimated population, 491,161. Total number of deaths, 810, including diphtheria 5, enteric fever 33, scarlet fever 1, and 101 from tuberculosis.

GERMANY—*Alsace—Strassburg*.—Month of September, 1904. Estimated population, 162,101. Total number of deaths, 241, including diphtheria 2, measles 4, scarlet fever 2, typhus fever 1, whooping cough 2, and 34 from tuberculosis.

Weimar.—Month of October, 1904. Estimated population, 30,606. Total number of deaths, 38. No deaths from contagious diseases reported.